"DYNAMICFLOW® Acoustic Shell"

Prior to the installation, make the necessary measurements on the stage in order to check the exact position of each DYNAMICFLOW piece. This task should be carried out with the help of markings made with self-adhesive tape. Make sure that the positions are well marked before opening and start installing any module.

Throughout the whole installation, you are going to need four people, a double-flight scaffolding (each flight should be 2 metres high), and four pairs of gloves.

For safety reasons, when installing outdoors only three modules can be coupled in height. However, also check the wind condition and whether it is safe to carry out the installation.

Please follow these steps:



1º- Position the piece on the place where you want to install it. Lock the brakes of the four wheels with the feet.



2º - Remove the top lid and store it outside the stage.



3º- Remove the three feet from inside the box and insert them in their places. Level them off.







"DYNAMICFLOW® Acoustic Shell"

Continuation:


4º - Remove the second module from inside the box and insert it in its position.






5º - Remove the third module from inside the box and insert it in its position. For this operation, you will need a double-flight scaffolding.





6º - Remove the fourth module from inside the box and insert it in its position. For this operation, you will need a double-flight scaffolding.





"DYNAMICFLOW® Acoustic Shell"

Continuation:




7º - Check again that the three threaded feet are well adjusted.



8º - Remove the front lid and store it outside the stage.



9º - Remove the scaffolding and store it outside the stage.





10º - Congratulations, your DYNAMICFLOW® Ac Sh is installed.

